

INTERACTIVE PRODUCT CATALOGUE





INTERACTIVE CATALOGUE









WELCOME TO STRAINRITE FENCING SYSTEMS

Strainrite Fencing Systems is a privately owned, New Zealand based manufacturer of high quality fencing tools, fencing equipment and electric fence products.

Our products are developed and tested in the field with farmers and fencing contractors—and then manufactured in our local facility.

We have been developing and manufacturing fencing products in New Zealand for over 40 years. Our reputation is not one of an assembly line, global sourcing, corporate manufacturer, but rather as a market-driven innovator and NZ manufacturer of extremely high quality products. Products and solutions developed with feedback from people just like you!

Director

Maurice Wooster



Our interactive catalogue is now available online via the Strainrite website.

Search: Strainrite Interactive.

Download the catalogue.

By Clicking the red play button you will be directed to the instructional video for that product.



Press these links below to visit our channels





Table of Contents

Wire Tensioning	
Wire Strainers	1
Chain Strainers	3
Wire Tensioning	4
Netting Boards & Sets	6
Wire Jennys	7
Tools & Equipment	
Cutters & Pliers	10
Crimping Tools	12
Spades & Shovels	14
Post Hole Tools	15
Drivers	16
Electric Fencing	
Post Lifters & Stay Holders	17
Batten / Stay Holding Tools	18
Ground Anchors	19
Irrigator Crossing Systems	20
Agri Energizer Range	21
Standard Energizer Range	30
Electric Fence Accessories	33
Electric Fence Activators	35
Insulators	36
Electric Fencing Wire Strainers	40
Lead Out Cable & Wire	41
Fence Reels, Parts & Accessories	43
Bungy Cord & Accessories	44
Gateway Solutions	45
Electric Fencing Tape & Wire	47
Pigtail Standards, & Tread-Ins	49
Dura-Top Pigtails & Hotposts	50
Outriggers	51
Poultry Kits	53
Stockposts / Y Posts	54

Abattoir Meat Hooks & Gambrels 55

56

Notes





PERMANENT WIRE STRAINERS

XT1 RATCHET STRAINER

Features:

- The most versatile wire strainer
- 2 plane ramp for guidance of wire onto spool
- Frame with locking notch for improved performance and strainer integrity
- Galvanised reinforced frame and spring clip providing corrosion protection
- Wire Capture Lug for straining existing wires
- 11 tooth spool for finer control of wire tension

Product	Part No.
XT1 Ratchet Box of 25	FST00160
XT1 Ratchet Drum of 650	FST00016

CLIPLOCK STRAINER

Features:

- Oval hole in spool for joining two wires
- Smooth clicking action
- Ability to thread onto wire = less joins
- Easily operated upside down

Product	Part No.
Cliplock Bag of 5	FST00078
Cliplock Box of 25	FST00080
Cliplock Bucket of 30	FPP00050
Cliplock Crate of 80	PST00011
Cliplock Bag of 100	FST00085
Cliplock Drum of 650	FST00015
Cliplock Pallet Box of 1000	FST00200
Quik-Clip Cliplock Bag of 5	FST00410







ENQUIRE NOW

SPRING PIN STRAINER

Features:

- Combines features of the Drop Pin and Cliplock
 Wire Strainer.
- Spring loaded pin.

Product	Part No.
Spring Pin Box of 25	FST00055
Spring Pin Bucket of 30	FPP00200
Spring Pin Bag of 100	FST00058
Spring Pin Drum of 650	FST00240
Spring Pin Pallet of 1000	FST00270

 \bigcirc

TRIPLEX WIRE STRAINER

- Traditional design with a larger spool.
- Widely used wire strainer.

Product	Part No.
Triplex Box of 25	FST00150
Triplex Crate of 100	PST00150
Triplex Bag of 100	FST00155

DROP PIN STRAINER

Features:

- Traditional ratchet and pawl mechanism
- Pin can be locked out for free wheel action
- Oval hole in spool for joining two wires
- Ability to thread onto wire = less joins

Product	Part No.
Drop Pin Bag of 5	FST00048
Drop Pin Box of 25	FST00050
Drop Pin Bucket of 30	FPP00060
Drop Pin Drum of 650	FST00010

HI-STRAIN INSUL-CLIP STRAINER

Features:

- Frame designed to maximise spark distance
- Easy to operate upside down
- Specially moulded insulator nests within frame to achieve high tensile strainer strength.

Product	Part No.
Hi-Strain Insul-Clip Box of 20	FST00250
Hi-Strain Insul-Clip Bucket of 25	FPP00210
Hi-Strain Insul-Clip Drum of 550	FST00300
Quik-Clip Insul-Strainer Bag of 5	FST00450

HI-TEST INSUL-STRAINER

Features

- For high voltage fence installations
- Integrated strainer & insulator assembly combines high performance with strength
- Includes integral power wire connection terminal
- Design allows fence re-tensioning without the need to disconnect joint clamps

Product	Part No.
Hi-Test Insul-Strainer Box of 18	FST00170

UNIVERSAL RATCHET HANDLE

Features:

- Specially designed to fit most common fence strainers.
- Spring-loaded ratchet pin.
- Gold passivated for increased corrosion protection.
- Use the handle to fit on the side lug for side straining.

Product	Part No.
Ratchet Handle	FRH00010





FST00450



SHOP NOW

COLUMN OF



CHAIN STRAINERS

Strainrite Chain Strainers are a proven design with hard wearing features that are built tough to last. The smooth grip jaws hold all common sizes of fence wire while minimising wire damage. The claws and grips are a heat treated Spheroidal Graphite cast iron, making them durable for a long service life. The rugged steel handles are gold passivated for protection. Also includes a gold passivated chain with swivel and heavy duty rivets.

SHOP NOW

SHOP NOW

SHOP NOW

SHOP NOW

Ċ

STANDARD CHAIN STRAINER

Features:

- Heavy duty rivets and high tensile pivot bolt
- Computer-designed geometry provides effective grip on zinc/aluminium fencing wire
- Easy on the hands one piece gold zinc passivated handle 27mm dia, (1 1/16")

Product	Part No.
Standard Chain Strainer	FCS00060

RX2 CONTRACTOR CHAIN STRAINER—REMOVABLE HANDLE

Features:

- Contractors Choice
- Removable threaded handle. 21.5mm (7/8") Diameter
- Computer-designed geometry for effective grip on zinc/aluminium fencing wire
- Strain fence wires quickly and easily

Product	Part No.
RX2 Contractor Chain Strainer - Removable Handle	FCS00702

FX2 CONTRACTOR CHAIN STRAINER—FIXED HANDLE

Features:

- Improved casting design for effective grip on wire
- Solid one piece handle of 22mm (7/8") diameter smaller in size, ideal for frequent/contractor use
- Comes with all the hard-wearing features of a durable one-piece handle—gold zinc plating for increased corrosion protection, heavy duty rivets, tested chain and wear resistant smooth grip iron jaws.
- Strain fence wires quickly and easily
- Swivel Grab has 2 swivel ends for left/right hand use

Product	Part No.
FX2 Contractor Chain Strainer - Fixed Handle	FCS00700
FX2 Contractor Chain Strainer Swivel Grab - Fixed Handle	FCS00600

3

WIRE TENSIONING

EASY WIRE PULLER

Features:

- Easily tie off/staple wire hands free! •
- Quick and easily tensions either fencing or netting wire around strainer posts
- Smooth grip wire clamp prevents wire damage
- Overall length approx 678mm (26")

SHOP NOW Product Part No

FIGURE	Fartivo.
Easy Wire Puller	FWT00010
Replacement Jaw/Anvil Only	SAV00020

CHAIN & GRAB ASSEMBLY

Features

- Spare parts available for all • genuine Strainrite Chain Strainers
- Grab & swivel assembly with 1m (39") of Chain

ANCHOR CHAIN

Features:

chain

. •

•

•

	COLOR CHILL
Product	Part No.
Chain & Grab Assembly	FCS00012

SHOP NOW

FASTLOK WIRE JOINER

high tensile wire

No tools required

For 2.50mm (12 1/2 gauge)

Features:



Product	Part No.	
Anchor Chain	FAC00010	

-

SHOP NOW

EZEMATE CHAIN DIVERTER

New and improved chain hook

Strong, durable and versatile

2 x 1m (39") lengths of gold passivated

Usable with any Strainrite Chain Strainer

Makes straining to a post guick and easy

Features:

- Easily fitted to any 🔏 • chain strainer
- Unbreakable galvanised • steel construction
- Create room to work and prevent tool damage

Product	Part No.
Ezemate Chain Diverter	FEZ00100



Fastlok Wire Joiner Pottle of 20	FWC00092

Γ




Provides easy, instant and accurate wire • tension readings for 2.50mm (12 1/2 gauge) with any type of wire strainer

WIRE TENSION TESTER

Features:

ENQUIRE NOW



Product	Part No.	
Wire Tension Tester	FTG00010	

	•	Easy to read scale
	•	Rugged compact construction
6	•	Prevents wire damage by using correct tension
	•	Easily fitted to any Strainrite Chain strainer

Product	Part No.
Chain Strainer Tension Gauge	FCS00505

CHAIN STRAINER TENSION GUAGE

- ENQUIRE NOW

t No.	Product
00012	Chain Strainer Tension Gauge

SHOP NOW

Features

 \square



CHAIN STRAINER PARTS



HANDLE & GRAB ASSEMBLY		
Features:	Product	Part No.
 Replacement products for Handle & Grab Assemblies as supplied with the 	Standard Handle & Grab Assembly	SCS00051
new Chain Strainers	RX2 Handle & Grab Assembly	SCS00092
Part excludes chain & grab end	FX2 Handle & Grab Assembly	SCS00049
	RX2 Threaded Handle Only	SHN00120
ENQUIRE NOW SCS00051 SCS00092		IRE NOW SHN00120
BOUNDARY STRAINERS, PARTS & EXTRAS		C
FBY0020	FBY00030 SHOP NOW ENQUIRE N	A
SHOP NOW	Product	Part No.
	Boundary Strainer (Hook)	FBY00020
	Boundary Strainer (D Shackle)	FBY00030
St.	Boundary Handle & Hook Assembly	SBY00060
Sec. 2	Hook & Swivel Assembly	SBY00025
ENQUIRE NOW	Hook Only	SHK00022
SHOP NOW	Hook, Swivel & Link Assembly	SBY00035
SBY00060 SBY00030	6m (19') Chain & Hook Assembly	SBY00030

NETTING STRAINER BOARDS

NETTING FENCE STRAINER BOARDS & SETS

Features:

- Press formed steel strainer boards. Compatible with most mesh, hinged and ring joint netting
- Available in either wedge clamp or threaded clamp
- 900mm (35") sets includes
 2 x Strainer Board
 2 x Hook Type Boundary Strainers
- 1320mm (52") sets includes
 2 x Strainer Board
 2 x Hook Type Boundary Strainers
- **1900mm (75") Set includes** 2 x 1900mm (6') Strainer Board
 - 3 x Hook Type Boundary Strainers

NOTE Strainer boards are galvanised finish not gold passivated as shown

Product	Part No.
Wedge Board Options:	
900mm (35") Board Only	FNB00014
1320mm (52") Board Only	FNB00024
1900mm (75") Board Only	FNB00034
900mm (35″) Set	FNB00044
1320mm (52") Set	FNB00054
1900mm (75″) Set	FNB00064
Wedge Only	SNB00050

Threaded Board Options:	
900mm (35") Board Only	FNB00013
1900mm (75") Board Only	FNB00033
900mm (35″) Set	FNB00043
1900mm (75″) Set	FNB00063
Winder Bit Only	SNT00020









WIRE JENNY DISPENSER RANGE



Product	Part No.
Adjustable 3 Arm with Spike	FWJ00155

PERMANENT 4 ARM WIRE JENNY

Features:

- Lightweight 4 arm Jenny with adjustable fingers for • different coil sizes
- Self-regulating friction hub to prevent wire overrun
- Convenient handle for re-coiling used wire •
- Designed for a standard 25kg (55lbs) coil of wire .
- Complete with ground spike stand available as . optional extra

Product	Part No.
Permanent 4 Arm Wire Jenny	FWJ00160



D



DOUBLE STACKER 4 ARM JENNY

Features:


- Galvanised for long-term corrosion protection
- Quick adjust wire guide fingers, 12mm (1/2") diameter for extra strength
- Self-regulating friction hub to prevent wire overrun
- Convenient handle for re-coiling used wire
- Includes extra long ground spike

Product		Part No.
Double Stacker 4 Arm J	enny	FWJ00162

SINGLE TITAN WIRE JENNY

- Flip-over wire retention arms •
- Superior balance for heavier wire loads •
- Self-regulating friction hub •
- Drop arm design for better balance
- Rugged steel construction with gold zinc corrosion protection
- Quick wire coil reloading

Product	Part No.
Single Titan Wire Jenny	FWJ00170





WIRE JENNY DISPENSER RANGE



DOUBLE STACKER TITAN WIRE JENNY

Features:

- Twice the wire capacity of the Single Titan Wire Jenny
- Run up to two wires at the same time
- Flip-over wire retention arms

• Superior balance for heavier wire loads

SHOP NOW

- Drop arm design for better balance
- Rugged steel construction with gold zinc corrosion protection

Product	Part No.
Double Stacker Titan Wire Jenny	FWJ00172

HELIX WIRE WINDING JENNY

Features:

- Easily wind up old fence wire! Allows efficient vertical wire winding without bending over
- Quick release rotor for easy coil removal
- Recovered wire coil fits wire dispensing jenny for re-use
- Integral ground stand allows jenny to be used to dispense wire from the ground
- Rugged steel construction, gold passivated for corrosion protection
- Stability wings for ground use

Product	Part No.
HELIX Wire Winding Jenny	FWJ00500

CONTRACTOR QUAD JENNY TRAILER

Features:

- Enables efficient simultaneous dispensing of 4 wires
- Designed for efficient commercial applications
- Can be coupled with a second Jenny trailer unit for 8 wire dispensing
- Galvanised Steel Jenny Trailer, built to withstand harsh weather conditions
- Hook & cradle system fitted to allow extra coils of wire to be carried

U.		- HARRIS
Product	Part No.	195
Quad Jenny Trailer	FTJ00010	



WIRE JENNY DISPENSER RANGE

CONTRACTOR JENNYS

The Strainrite Contractor Range of Jennys feature trailer taper roller bearing hubs, and heavy steel construction designed to outlast other jenny designs in commercial use.

- Designed for dispensing 1000m (3280') coils
- Swing arms for easy individual rotor reloading
- Twin roller for bearing assembly and casting hub





How to prevent Wire overrun on a Contractor Jenny

Product	Part No.
Contractor Single Wire Jenny	FWJ00270
Contractor Duplex Jenny	FWJ00280
Contractor Quad Jenny	FWJ00180

Contractor Duplex Jenny

ENOUIRE NOW

SPARE PARTS & EXTRAS

Jenny Stand

Features:

- Ideal for using Jennys on hard grounds
- Painted steel
 construction
- Collapsible for easy transport

Contractor Jenny Rotor

Features:

- Designed for 1000m (3280ft) coils
- Including Axle and Bearing Assembly



3 Arm Finger Guide Set

Features:

- Three replacement 3 Arm Jenny finger guides
- Washers & wing nuts included for instant replacement
- No additional parts required

Jenny Spike

Features:

- 19mm (3/4") diameter shaft
- Overall length 490mm (19")
- Length between brake washer & ground washer 100mm (4")

ENQUIRE NOW

Titan Jenny Swing Over Arm

Features:

 Included with all Titan/Vineyard model jenny rotors
 Gold passivated

ENOUIRE NOW

Product Part No. Wire Jenny Stand FWJ00240 Double Stacker 4 Arm Stand FWJ00242 SGP00165 3 & 4 Arm Jenny Stand SGP00175 Double Stacker 4 Arm Spike Titan Jenny Spike SGP00167 Double Stacker Titan Spike SGP00195 Contractor Jenny Rotor FW100100 Titan Jenny Swing Over Arm SWJ00280 3 Arm Finger Guide Set FFN00155





HAND TOOLS

STAPLE PULLER

Features:

- Enables one handed staple pulling
- High performance wire cutter & cable stripper

 \mathbf{O}

 $(\mathsf{D}$

Compact ergonomic design

Product	Part No.
Staple Puller with Cable Stripper	FKX00165

FENCING PLIER

Features:

- Cuts and twists wire
- Single tooth jaws for lifting and pulling staples
- Quality Chrome Molybdenum Steel
 construction

Product	Part No.
Fencing Pliers	FKX00152

STRAINRITE HT WIRE CUTTER

Features:

- Scalloped jaw design
- Ergonomically designed handles
- Max. 4mm (8 Gauge) diameter hard wire

Product	Part No.
Strainrite HT Wire Cutter	FKX00060

BAHCO WIRE CUTTER

Features:

- Induction-hardened precision cutting edges
- Scalloped Jaw design

Product	Part No.
Bahco Wire Cutter	FKX00050

STANDARD WIRE CUTTER

- Features:
- Lever action
- Hardened cutting edges
- Comfortable non-slip handles
- Overall length 205mm (8")

Product	Part No.
Standard Wire Cutter	FKX00100

SHOP NOW	
SHOP 1	NOW
SHOP NOW	









HAND TOOLS

KNIPEX PLIER WRENCH

Features:

- Gripping plier & wrench in a single tool
- Unique cam action ratcheting system
- Instant adjusting memory button

Product	Part No.
Knipex Plier Wrench 250mm (10")	FKX00240
Knipex Plier Wrench 300mm (12")	FKX00242





KNIPEX COBRA WATER PUMP PLIER

Features:

- High tech water pump plier
- Instant adjusting memory button
- Non-slip coated handles

Product	Part No.
Cobra water Pump Plier 250mm (10")	FKX00270
Cobra water Pump Plier 300mm (12")	FKX00272

KNIPEX COMBO PLIERS

Features:

- Powerful gripping, bending and pulling
- 35% greater leverage than standard pliers of same length
- Suitable for cutting all common type wires
- Polished, high grade tool steel head, oil hardened and tempered
- Long cutting edges for thicker cables

Product	Part No.
Knipex Combo Plier	FKX00040
Knipex Ergo Plier (Red & Blue Grip)	FKX00042



SHOP NOW




KNIPEX WIRE CUTTERS

- Exceptional cutting performance with minimum effort because of unsurpassably effective lever action design
- Induction-hardened precision cutting edges for soft, hard, and piano wire
- Cutting edge hardness approximately 64HRc
- Cuts items such as bolts, nails, rivets up to 5.2mm (3/16") dia
- Chrome vanadium heavy-duty steel, forged, oil-hardened
- Scalloped jaw for improved cutting performance

Product	Part No.
Knipex Scalloped Jaw	FKX00010
Knipex Straight Jaw	FKX00011

CRIMPING TOOLS



Features:

Crimp sleeves make fast, easy wire joins that exceed the breaking strain of the wire!

OP NO

- All regular crimp sleeves now with water-resistant grit adhesive for all-weather application
- Crimp 4 5 times with fencing tool to ensure a solid crimp joint.

2.50	mm	Crimp	S	leeves	

1.6mm - 2.5mm or 16 - 12 1/2 gauge fencing wire

3.15mm Crimp Sleeves 3.15mm or 10 gauge & 1.6mm 16 gauge HT barbed wire

4.00mm Crimp Sleeves 3.55mm - 4.00mm (8-9 gauge) fencing wire & 2mm HT barbed wire

5.00mm Crimp Sleeves 5mm or 7 gauge fencing wire (12 1/2 gauge) mild steel barbed wire

Barbed Wire Crimp Sleeves 2.50mm (12 1/2 gauge) mild steel barbed fencing wire

Electric Fencing Crimp Sleeves

For clamping electrified wires to existing 2.5mm (12 1/2 gauge) wire fence

ENQUIRE NOW

FASTLOK Wire Joiners For 2.50mm (12 1/2 gauge) high tensile wire

No tools required

	Crimp Sleeve Range	Part No.
	2.50mm (12 1/2 gauge) Pottle of 100	FWC00024
2	2.50mm (12 1/2 gauge) Pottle of 500	FWC00124
	2.50mm (12 1/2 gauge) Pail of 1000	FWC00122
	3.15mm (10 gauge) Pottle of 50	FWC00034
/	3.15mm (10 gauge) Pail of 500	FWC00134
	3.15mm (10 gauge) Pail of 1000	FWC00132
	4.00mm (9 gauge) Pottle of 50	FWC00044
D)	4.00mm (9 gauge) Pail of 1000	FWC00142
~	5.00mm (7 gauge) Pottle of 50	FWC00054
	5.00mm (7 gauge) Pottle of 500	FWC00154
-	5.00mm (7 gauge) Pail of 1000	FWC00152
	Barbed Wire Crimp Pottle 50	FWC00018
)	Electric Fencing Crimp Pottle 50	FWC00014
	Electric Fencing Crimp Pail of 1000	FWC00112

Product	Part No.
Fastlok Wire Joiner Pottle of 20	FWC00092





CRIMPING TOOLS

GUDGEON GUIDE

Features:

•

- Clamps to gate post, enables correct gate positioning & full motion swing prior to drilling •
 - Guides drill to ensure correctly positioned gudgeon holes every time



F	Product		Part No.
•	Stainless steel jaws and precision body casting	8.	30

Product	Part No.	
Jambro Ring Fastener Gun	FWG12300	

16mm NETTING CLIP PLIERS

Features:

Features:

-

- Special pliers with groove to hold all • netting clips
- PVC coated handles for comfort
- Colour-coded handles-red for medium / 16mm (5/8") clips



Product	Part No.
16mm (%") Netting Clip Pliers	FWG12405

Product	Part No.
Jambro Rings Box 1000	FWG12301

NETTING CLIPS

Features:

- "C" Clip for securing • netting to line wires
- Convenient pack of 500 .
- Galvanised steel
- 16mm long (5/8") 2mm (12 gauge) diameter wire



	555	
Product	Part No.	
Netting Clips 500 Pack	FWG12400	



SPADES & SHOVELS

ACE OF SPADES

Features:

- Premium quality NZ made fencing spade
- Tough heat treated steel blade
- Additional tube in shaft for increased strength and balance
- Solid, rounded grip handle
- Slightly rounded spade mouth
- Spade head width 170mm (7") x height 240mm (9.5")

Product	Part No.
Ace of Spades - 1200mm (47") Short Handle	FSE00060
Ace of Spades - 1400mm (55") Long Handle	FSE00070

RED FENCING SPADES

Features:

- Tough heat treated steel blade
- Shock absorbing replaceable ergonomic comfort grip makes it easy on the hands
- High tensile inner tube in base of shaft for superior strength
- Square mouth
- Spade head W 170mm (7") x H 210mm (8")

Product	Part No.
Red Fencing Spade 1200mm (47") Short	FSE00020
Red Fencing Spade 1425mm (56") Long	FSE00010
"D" Shape Handle Only	SSE00500

POST HOLE SHOVEL

Features:

- Designed for removing loose dirt from post holes
- Flat side ideal for back filling / removing dirt
- Handle length 1200mm (47"), overall 1400mm (55")
- Shovel mouth W 170mm (7") x H 235mm (9")

Product	Part No.
Post Hole Shovel	FSE00090

POWER POST SPADE

Features:

Product Power Post Spade

- Tough high quality steel
- High tensile inner tube in base of shaft for superior
- Tough heat treated steel blade
- Extra long shaft with no handle Overall length 1800mm (71")

 Blade width 2 	05mm (8")
-----------------------------------	-----------

blade handle (71")		
	Part No.	
	FSE00025	

ENQUIRE NOW

ENOUIRE NOW

ENQUIRE NOW






THE PARTY

POST HOLE TOOLS

 Various size options Height 1100mm (43") Product Augers 100mm (4") Diameter 	SHOP NOW	 Features: Versatile digging tool Slightly tapered hardwood handles. Stainless steel blades. Overall length 1.8m (70") 	
Augers 100mm (4") Diameter		F	NQUIRE NOV
			NOOINE NOV
Augers 150mm (6") Diameter	FAU00100 FAU00150		1
	FAU00200	Product	Part No.
3 ()	FAU00250	Double Digger	FSE00050
 Compaction made easy! Special post contoured cast iron foot. 1630mm (64") galvanised and capped handle. 		 Need a replacement post hole rammer foot? Special post contoured cast iron foot. Other spare parts also available. 	
Product	Part No.	Product	Part No.
Post Hole Rammer	FPR00200	Post Hole Rammer Foot Only	SFO00010



15

DRIVERS

STEEL POST DRIVER

Features:

- Reduced noise and shock on è impact back through operator's hands.
- Solid welded steel construction and painted finish.
- Special design for improved service life.
- Overall height 800mm (31 1/2") Internal dia 54mm (2") Handle length 520mm (20 1/2")

Product	Part No.
Steel Post Driver	FWD00012

SO BATTEN DRIVER

Features:

- Solid welded steel construction
- Improved design ensures improved . service life, reduced noise, and reduced transfer of shock back through operator's hands
- Overall height 800mm (31 1/2") internal dia 57mm (2 1/4") internal dia 67mm (2 1/2")

Product	Part No.
SQ Batten Driver 57mm	FBA00012
SQ Batten Driver 67mm	FBA00030

STEEL POST DRIVER CAP

Features:

- Solid welded steel construction and painted finish
- Use with sledge hammer.
- Overall length 180mm (7") Inside diameter 54mm (2")
- Suitable for light duty driving of steel "Y" posts, tie-down posts & finish driving of earth stakes

Product	Part No.
Steel Post Driver Cap	FWD00020

		1.1	2	
ы	OP		U	IV.
	<u> </u>		<u> </u>	

Features:

- Improved weld/design of the handles for longer service life, reduced noise, and reduced transfer of shock back through operator's hands
- Solid welded steel construction

Product	Part No.
Post Driver 100mm 4"	FPD00022
Post Driver 150mm 6"	FPD00012
Post Driver 200mm 8"	FPD00025

SLOTTED BATTEN DRIVER

Features:

- Drives battens with insulators already attached
- Solid welded steel construction with red painted finish
- Special design for improved service life
- Overall height 800mm (31 1/2"), internal dia 57mm (2 1/4")

Product	Part No.
Slotted Batten Driver	FBA00022

4 ARM POST DRIVER

- Reduced transfer of shock back through handles to operator's
- Inside diameter 150mm (6")

ENOUIRE NOW

Part No.

Product	Part No.
4 ARM Post Driver	FPD00014

BATTEN DRIVER CAPS

Features:

- Solid welded construction
- Height 150mm (6") Inside Dia 57mm (21/4")





16



Г



 \square



Batten Driver Cap 57mm FBA00015



POST LIFTERS & STAY HOLDERS

STEEL POST LIFTER

Features:

- Lifts steel "Y" posts from any side .
- All steel construction, heated treat SG iron grab .
- Reversible and replaceable extra tough grab plate -

Product	Part No.
Steel Post Lifter	FWR00010
Steel Post Lifter Grab Assembly	FWR00014
Steel Post Lifter Grab Plate Only	SWR00020

POST LIFTER

Features:

- 2m (78") long Heavy Duty SHS Handle, 935mm (36") long chain
- Large area foot plate to prevent compressing in the ground
- Quick release chain claw makes post lifting simple and effective
- Incredibly strong



Product	Part No.
Post Lifter	FPO00010
Post Lifter Chain & Shackle Only	FSH00032



POST PULLER CHAIN

Features:

 (\square)

- Easily uplifts wood posts & steel "Y" posts e
- Can be attached to digger buckets è
- Heavy Duty tested 10mm passivated chain •
- Hook onto machinery for easy post removal



Product	Part No.
Post Puller Chain 1m (39") Chain	FPO00200
Post Puller Chain 2m (78") Chain	FPO00210

STAY HOLDERS

STAY HOLDER Features:

- Heavy gauge galvanised steel
- Fits between post and
- Stay slides easily into position



,	EI	IQUIKE
		Part N

Stay Holder



ENQUIRE NOW

RAIL HANGER BRACKET

Features:

- Ideal for fast fitment of post rails or support stays
- Hot dipped galvanised steel for long service life
- Suitable for angle / Horizontal rails

Product	Part No.
Rail Hanger Bracket Single	FFP00050
Rail Hanger Bracket Box of 30	FFP00055

HEAVY DUTY STAY HOLDER

Features:

- Manufactured from heavy • gauge zinc passivated steel
- Suitable for angle / Horizontal • rails

ENOUIRE NOW

ENQUIRE NOW

Product	Part No.
Heavy Duty Stay Holder	FFP00040
Heavy Duty Stay Holder (Carton 25)	FFP00045

POST WEDGE

Features:

- Provides resistance for post • lifting / twisting
- Quick attachment to post •
- Drives well into hard ground .
- Hot dip galvanised •
- Ideal for long term ground conditions •
- Use with galvanised nails for best results •
 - Approx 147mm (6") length

Product	Part No.
Post Wedge	SAN00030



brace Product

BATTEN HOLDER		ADJUSTABLE BATTEN CLAMP	
eatures:		Features:	
Staple battens			QUIRE NOW
to a strained fence without		holder that attaches quickly and easily.	1-1
leaning over wire		Built tough to last!	
Adjustable lever	_	Adjustable for	
position		all common batten sizes	
Left or right handed operation	108	 Gold passivated for 	
opeianon	ENQUIRE NOW	increased corrosion protection	
Product	Part No.	Product	Part No.
Batten Holder	FBA00060	Adjustable Batten Clamp Contractor	FBA00045
BATTEN SQUARE		BUNGY BATTEN SPACER	
atures:		Features:	
Fast batten positioning; ver	rtically & square	 Evenly space battens between p 	oosts.
Designed to minimise winc		 Preset yellow mould to 5 batten 	
Light weight, long lasting a		 8mm premium solid core bungy 	
	() America of	William Internet	-
	Manage La		
	ENQUIRE NOW		
	ENQUIKE NOW		
		ENQUIRE	
	Contraction in the local division in the loc		
Product	Part No.	Product	Part No.
Batten Square	FBA00070	Bungy Batten Spacer	FCO00025
HEAVY DUTY POST CHISEL		EZECUT FENCER'S CHISEL	
eatures:		Features:	
General Purpose Fencing	Chisel	Contractors Choice High-Qual	ity Chisel
Forged from Solid High Car	hon Steel	• Forged from Solid High Carbon	
4 Empire (1.2/4//) 11 1	DOILDREEL	• Torgea noni sona riigh carbon	Steel
45mm (1 3/4") Head	DOILIDEEL	• 37mm (1 7/16")Head	Steel
Milled Cutting Edge		37mm (1 7/16")HeadSurface Ground and	Steel
Milled Cutting Edge		• 37mm (1 7/16")Head	Steel
Milled Cutting Edge		37mm (1 7/16")HeadSurface Ground and	Steel
		37mm (1 7/16")HeadSurface Ground and	Steel
Milled Cutting Edge		37mm (1 7/16")HeadSurface Ground and	
Milled Cutting Edge Product	SHOP NOW	 37mm (1 7/16")Head Surface Ground and Whetstone 	SHOP NOW
Milled Cutting Edge	SHOP NOW Part No.	 37mm (1 7/16")Head Surface Ground and Whetstone Product	SHOP NOW Part No.
Milled Cutting Edge Product Heavy Duty Post Chisel	SHOP NOW Part No.	 37mm (1 7/16")Head Surface Ground and Whetstone Product Ezecut Chisel 	SHOP NOW Part No.
Milled Cutting Edge Product Heavy Duty Post Chisel STAPLE PICK eatures: Easily removes batten	SHOP NOW Part No. FCI00012	 37mm (1 7/16")Head Surface Ground and Whetstone Product Ezecut Chisel WIRE TWISTER Features: Used for neat and 	SHOP NOW Part No.
Milled Cutting Edge Product Heavy Duty Post Chisel STAPLE PICK eatures: Easily removes batten	SHOP NOW Part No.	 37mm (1 7/16")Head Surface Ground and Whetstone Product Ezecut Chisel WIRE TWISTER Features: 	SHOP NOW Part No.
Milled Cutting Edge Product Heavy Duty Post Chisel STAPLE PICK eatures: Easily removes batten staples & post staples	SHOP NOW Part No. FCI00012	 37mm (1 7/16")Head Surface Ground and Whetstone Product Ezecut Chisel WIRE TWISTER Features: Used for neat and 	SHOP NOW Part No.
Milled Cutting Edge Product Heavy Duty Post Chisel STAPLE PICK eatures: Easily removes batten staples & post staples SHOP NOW	SHOP NOW Part No. FCI00012	 37mm (1 7/16")Head Surface Ground and Whetstone Product Ezecut Chisel WIRE TWISTER Features: Used for neat and easy wire tying 	SHOP NOW Part No.
Milled Cutting Edge Product Heavy Duty Post Chisel STAPLE PICK eatures: Easily removes batten staples & post staples	SHOP NOW Part No. FCI00012	 37mm (1 7/16")Head Surface Ground and Whetstone Product Ezecut Chisel WIRE TWISTER Features: Used for neat and easy wire tying SHOP NOW 	SHOP NOW Part No. FCI00020





ELECTRIC FENCE ACTIVATORS

ACTIVATOR STRAP POST INSULATOR

Features:

- Unique revolutionary post termination insulator
- Enables multiple gate handle connections
- Eliminates protruding activator plates
- Saves time and money with single strap installation

Product	Part No.
Activator Strap Post Insulator 10pk	FIN00400





ELECTRIC FENCE ACTIVATORS

Features:

- Quick & easy gateway solution; multiple hook up options
- Premium performance Joule Shield Wood Post • Pinlock Insulator, manufactured from corrosion resistant polymer for strength and long life
- Simply clamp activator plate to underground cable

Product	Part No.
Activator Plate Only 10pk	SAP00025
Activator Kit Bag 10pk	FAP00025









TERMINATION GATE END

- Premium performance Joule Shield insulator •
- Designed to sit on round or flat surfaces •
- 'V-lock' system Brianex Bungy Connector

Product	Part No.
Termination Gate End 10pk	FAP00035

PREMIUM JOULE SHIELD INSULATOR RANGE

PROVEN PERFORMANCE

Do you hear the snapping sound on your electric fence line? Insulator short outs on electric fences are common, particularly in wet conditions, reducing the effectiveness of your energizer.

The Joule Shield wood post insulators have been independently tested against standard insulators.


The result...

Unmatched performance in electrical retention.

The twin shield design prevents short outs and withstands 100% more voltage in wet conditions over standard insulators.

Thicker walls and structural web bracing offer greater strength, significantly reducing failure rates.

Joule ♥ Shield™



JOULE SHIELD WOOD POST CLAW INSULATOR

Features:

- Twin shield reduces power loss
- Reinforced web back bracing
- Thicker insulator walls
- Heavy duty claws
- Rounded surfaces to shed water
- Long life plastic polymer

ENQUIRE NOW

Product	Part No.
Wood Post Claw 25 Pack	FIN00070
Wood Post Claw Bucket of 80	FIN00075
Wood Post Claw 200 Pack	FIN00078
Wood Post Claw Sack of 1000	FIN00270

Holeshot Compatible see page 29

JOULE SHIELD WOOD POST PINLOCK INSULATOR

Features:

- Twin shield reduces power loss
- Reinforced web back bracing
- Thicker insulator walls
- Firm pinlock design
- Rounded surfaces to shed water
- Long life plastic polymer

ENQUIRE NOW

Product	Part No.
Wood Post Pinlock 25 Pack	FIN00080
Wood Post Pinlock Bucket of 60	FIN00085
Wood Post Pinlock 200 Pack	FIN00088
Wood Post Pinlock Sack of 1000	FIN00280
Wood Post Pinlock w Stainless Bolt 100 Pack	FAP00034

Holeshot Compatible see page 29







INSULATORS

JOULE SHIELD STEEL POST PINLOCK INSULATOR

Features:

- Computer aided designed twin pinlock provides a strong accurate fit for locking
- Reinforced web bracing and thicker walls providing structural strength
- Rounded surfaces that shed water faster
- Joule Shield[™] Twin shield flange for increased insulation performance

Product	Part No.
Steel Post Pinlock 25 Pack	FIN00040
Steel Post Pinlock Bucket of 80	FIN00045
Steel Post Pinlock 200 Pack	FIN00047
Steel Post Pinlock Sack of 1000	FIN00240

JOULE SHIELD HIGH STRAIN END INSULATOR

Features:

- Suitable for high strain uses
- Defined high wall channels for increased insulation
- Long-life UV stabilised plastic providing high performance
- 12 year guarantee

Product	Part No.
High Strain End Insulator 5 Pack	FIN00005
High Strain End Insulator 25 Pack	FIN00017
High Strain End Insulator Bucket of 100	FIN00095



ENQUIRE NOW

HOLESHOT STAPLE GUN GUIDE

Features:

- Accessory attachement to fit powered staple gun Fits Stockade ST400i & ST400 staple guns
- Compatible with all Strainrite woodpost insulators
- Fast and effective method for installing woodpost insulators

Product	Part No.
Holeshot Staple Gun Guide	FIN00500

ENQUIRE NOW



See the holeshot in action Visit www.strainrite.co.nz or our Youtube Channel Strainrite Fencing Systems Search: Holeshot



INSULATORS

W-CLAW INSULATOR

Features:

- Standard wood post claw insulator
- Heavy duty claws
- Rounded surfaces to shed water
- Long life plastic polymer
- Cost-effective solution

Product	Part No.
W-Claw Insulator 25 Pack	FIN00010
W-Claw Insulator 200 Pack	FIN00100
W-Claw Insulator Bag of 1000	FIN00200

Holeshot Compatible

MEGA CLAW INSULATOR

Features:

- Wider heavy-duty claws to accept Horse sighter wire, larger braids
- Rounded surfaces to shed water
- Long life plastic polymer
- Colour: Black or White

Product	Part No.
Mega Claw White 25 Pack	FIN00014
Mega Claw White 200 Pack	FIN00018
Mega Claw Black 25 Pack	FIN00024
Mega Claw Black 200 Pack	FIN00028

Holeshot Compatible

HIGH STRAIN BULLNOSE INSULATORS

Features:

- Robust design, made from engineering grade fibreglass reinforced plastic
- UV stabilised for longer life



FIN00016

FIN

FIN00050

PORCELAIN INSULATORS

Features:

- Robust long-life, porcelain insulator
- Fire resistant—used widely in Australian fencing
- Ideal for extreme heat conditions



FIN00150

FIN00025

Product	Part No.
High Strain Bullnose Insulator White Bucket of 50	FIN00050
High Strain Bullnose Insulator Black (Single Unit)	FIN00016
Porcelain Bullnose Insulator (Single Unit)	FIN00150
Porcelain Round Insulator 10 Pack	FIN00025











INSULATORS

CLIP ON INSULATORS

Features:

- Fits on 6mm (15/64") & 7mm (9/32") Pigtails
- Simply clips on—no tools required
- Manufactured from UV resistant polymer for strength and long life

ENQUIRE NOW

O

Product	Part No.
Insulators Clip-On Black Bag of 25	FIN00065
Insulators Clip-On White Bag of 25	FIN00066







WOOD POST RING INSULATOR

Features:

- Galvanised screw for corrosion protection
- Uniquely angled slot for wire retention
- Simply screws into wood posts
- 29mm (1 9/64") thread
- Length 40mm (1 37/64")
- Recommend pre-drilling into hard timbers

Product	Part No.
W/Post Ring Insulator Bag of 25	FIN00013

INSUL-TUBE

Features:

- Economical insulator option
- Insulates electric fence wire from wooden or concrete posts
- 8mm (5/16") outside diameter
- 5mm (13/64") inside diameter, 30M roll (98')

Product	Part No.
Insul-Tube 30m (98') Roll	FIN00300





ELECTRIC FENCING PERMANENT WIRE STRAINERS

HI-STRAIN INSUL-CLIP STRAINER

Features:

- Easy to operate upside-down
- Frame designed to maximise spark distance
- Ability to thread onto wire = less joins
- Specially moulded insulator nests within frame to achieve high tensile strainer strength
- Proudly NZ-made

Product	Part No.
Hi-Strain Insul-Clip Box of 20	FST00250
Hi-Strain Insul-Clip Bucket of 25	FPP00210
Hi-Strain Insul-Clip Drum of 550	FST00300



Features

- For high voltage fence installations
- Integrated strainer & insulator assembly combines high performance with strength
- Includes integral power wire connection terminal
- Design allows fence re-tensioning without the need to disconnect joint clamps

Product	Part No.
Hi-Test Insul-Strainer Box of 18	FST00170

QUIK-CLIP INSUL-STRAINER

The no-knots fencing solution. Quik-Clip Permanent Wire Strainers are convenient to use, reducing installation time while providing uniform strainer positioning. The wire simply clips onto itself, locking against the strainer post

Ideal for small lifestyle block owners and fencing novices unfamiliar with fencing knot application

Product	Part No.
Quik-Clip Insul-Strainer Bag of 5	FST00450


QUIK-CLIP INSUL-TIE

- All the features of the Bullnose Insulator
- Cost effective and convenient to use
- Pre-formed loop and knot

Product	Part No.
Quik-Clip Insul-Tie Bag of 5	FST00480









PIGTAIL STANDARDS

PIGTAIL POSTS

Features:

- Unique pressed design & hot dipped galvanised coated foot for . optimum ground holding
- Galvanised spring steel 7mm (9/32") dia shaft provides greater bend resistance on application and superior strength

ENOUIRE NOW

Part No.

FPG00340

- Enhanced corrosion protection for increased durability
- UV stabilised insulator for longlasting performance
- Overall length 1040mm (41") 840mm (33") out of ground height

Product	Part No.
7mm (9/32") x 1040mm (41") 10 Pack GOLDFOOT	FPG00040
6mm (15/64") x 1040mm (41") 10 Pack	FPG00052
6mm (15/64") x 935mm (37") 10 Pack SUPERLITE	FPG00054
HORSE PIGTAIL POSTS	
7mm (9/32") x 1230mm (48") 10 Pack HORSE HOT TAPE	FPG00090

STEEL POST TREAD-IN Features: Galvanised spring steel shaft Hot dip galvanised foot Insulated handle prevents accidental shocks 5 x Unique angled clip prevents unintentional tape detachment Overall length 1090mm (43') 900mm (35") out of ground height Product ENQUIRE NOW Steel Post Tread-In 10 Pack

MULTIWIRE TREAD-IN POST

Features:

- Unique angled clip prevents unintentional tape detachment
- Unique foot wedge for superior ground holding
- 4 position level options for 40mm/11/2" tape
- 8 positions for polywire, polytape & braid
- Made from UV stabilised, impact-resistant polymers
- Galv spring steel centre pin for strength & longevity
- Overall length 1100mm (43") length from base of foot 915mm

Product	Part No.	- F
YELLOW Multiwire Tread-In Box of 50	FPG00297	
RED Multiwire Tread-In Box of 50	FPG00296	
WHITE Multiwire Tread-In Box of 50	FPG00295	ENQUIRE NOW



TAILING SCRIM STANDARD 7MM

Features:

- Adjustable locking hook
- Top of shaft crimped to prevent hook falling off
- Galvanised spring steel shaft
- Gold passivated foot permanently crimped to shaft
- Overall length 1365mm (53"); out of ground height 1170mm (46")

Product	Part No.
Tailing Scrim Std 7mm (9/32") x 1365mm (53") 10 Pack	FPG00080

25

DURA-TOP PIGTAILS

DURA-TOP PIGTAILS

Features

- The Dura-top head is designed to reduce tangling & eliminate wear
- Uniquely designed hot dipped galvanised pressed steel foot
- Solves common failures related to pigtail posts
- Revolutionary new pigtail range

Product	Part No.
DURA-TOP Pigtail 7mm (9/32") x 1040mm (41") 10 Pack	FPG00320
DURA-TOP Pigtail 6mm (15/64") x 1040mm (41") 10 Pack	FPG00310
DURA-TOP Pigtail 6mm (15/64") x 940mm (41") 10 Pack	FPG00300





HOTPOST DURA-TOP MULTIWIRE

Features

• The Dura-top head is designed to reduce tangling & eliminate wear

- Uniquely designed hot dipped galvanised pressed steel foot
- Power redistributes through the spring steel shaft and clips, repowering broken wires via a parallel live wire

Repositional tangle free spring clips

Product	Part No.
Hotpost DURA-TOP Multiwire 5 Pack	FPG00220

TANGLE FREE HOT POST


Features

- The Dura-top head is designed to reduce tangling & eliminate wear
- Uniquely designed hot dipped galvanised pressed steel foot
- Extra overall length -1040mm (41")

• Out of ground height 850mm (33")	ENQUIRE NOW
Product	Part No.
Tangle Free Hot Post 5 Pack	FPG00200

DUNKIT PIGTAIL CADDY

- Hands free, pigtail standard carrier
- Spring steel cradle with adjustable shoulder strap
- Capacity 25 standards maximum









OUTRIGGERS

SIDE FIX PIGTAIL OUTRIGGERS

Strainrite Pigtail Outriggers are designed to attach an electric wire onto an existing fence to keep animals off the fence line, and reduce pressure on new fences.

The outriggers feature a UV stabilised high density insulator on a galvanised spring steel shaft for long life, and prolonging the life of an old fence. The steel ends are sharpened to ease driving into the post. Simply attaches to existing fencing.

Product	Part No.
Side Fix Outrigger 150mm (6") 10 Pack	FPG00035
Side Fix Outrigger 150mm (6") 50 Pack	FPG00135
Side Fix Outrigger 250mm (10") 10 Pack	FPG00036
Side Fix Outrigger 250mm (10") 40 Pack	FPG00136
Side Fix Outrigger 400mm (16") 10 Pack	FPG00037
Side Fix Outrigger 400mm (16") 40 Pack	FPG00137
M-STOP 1m (39") Side Fix 10 Pack	FPG00330



TOP FIX AND DOUBLE-ENDED PIGTAIL OUTRIGGERS

Features:

- Attach electric wire onto an existing fence
- Simply attaches to existing fencing
- Prolongs the life of an old fence


Product	Part No.
Top Fix 150mm (6") 10 Pack	FPG00032
Top Fix 150mm (6") 50 Pack	FPG00132
Top Fix 250mm (10") 10 Pack	FPG00033
Top Fix 250mm (10") 40 Pack	FPG00133
Top Fix 400mm (16") 10 Pack	FPG00034
Top Fix 400mm (16") 40 Pack	FPG00134
Double Ended 650mm (25") 10 Pack	FPG00038
Double Ended 650mm (25") 40 Pack	FPG00238



WIRE FENCE OUTRIGGERS

- Attaches easily to existing fencing
- Positively located both horizontally and vertically
- Prolongs the life of an old fence and reduces pressure on new fences
- Range 2 spring steel wire





Product	Part No.
Outrigger Wire Only Bundle of 25	FOR00035
Fence Outrigger with White Porcelain Insulator Box of 50	FOR00015
Fence Outrigger with Steel Post Pinlock Insulator Box of 50	FOR00025

OUTRIGGERS

STINGRAY SIDE AND TOP FIX OUTRIGGERS

Features:

- The Stingray Outrigger featuring replaceable White Clip-on Insulator
- Replacement of insulators on permanent outrigger installations in seconds
- Simple & cost effective



Product	Part No.
Stingray 250mm (10") Side Fix Outrigger Box of 50	FOR00045
Stingray 250mm (10") Top Fix Outrigger Box of 50	FOR00085
Stingray 650mm (25") Double Ended Outrigger Box of 50	FOR00048

NEW STINGRAY STEEL POST OUTRIGGERS

Features:

- 160mm length corrosion-resistant galvanised steel, offering superior strength and performance
- Offers an innovative universal fit— easily attaches to most steel posts
- Includes UV stabilised Clip-On Insulator with stylish and improved design
- Effective in preserving the life of an old fence built tough to last
- Easily fits either left hand or right hand options

Product	Part No.
Stingray 160mm (6") Steel Post Outrigger Box of 100	FOR00310

M-STOP 1M OUTRIGGER

Features:

- Manufactured to MPI's guidelines for on-farm, biosecurity protection. Providing a cost- effective, permanent fixing, 1m offset outrigger to create a 2m buffer zone (1m either side of a fence line)
- NZ Made & Built Tough

Dura-tip eliminates wear from wire movement. High strength shaft is manufactured from 7mm galvanised spring steel

- BAYCO INSUL TIE is an insulated strap ideal to secure the M-STOP Outrigger on rises & dip or snow loading
- Can also be used in conjunction with a cliplock wire strainer and D shackle to provide you with a NO KNOTS option for tieing off an electric wire



ENOUIRE NOW

Product	Part No.
M-STOP 1m Outrigger	FOR00310
Bayco Insul Tie 5 Pack	FCA00011









STOCKPOST



STOCKPOSTS & ULTRA POSTS

Features:

Product

- Premium quality, high strength consistency and reliability. Consistently rolled from specially produced high grade steel—we've taken the variability out of post making!
- Wider profile with improved holding power gives more resistance to pushing forces such as livestock leaning on the fence. Easy drive; points are square cut to improve drivability and minimise twisting.



- Innovative ground mark unique driving line used to gauge driving depth.
- Lasts longer: Coated with black bituminous mix and not paint—STOCKPOST® Black traditional black bituminous coating is fully dipped and run through a 40 minute baking process to give a tougher barrier coating.
- Bend resistance tested and quality tested.
- Independent testing has shown STOCKPOST® to be the strongest standard size "Y" post on the market.

Part No



ENQUIRE NOW

Todact	rarcivo.
Ultrapost Black Bitumen 45cm	FWG10702
Ultrapost Black Bitumen 60cm	FWG10703
Stockpost Black Bitumen 135cm 11 hole	FWG10704
Stockpost Black Bitumen 150cm 8 hole	FWG10707
Stockpost Black Bitumen 165cm 9 hole	FWG10705
Stockpost Black Bitumen 165cm 14 hole	FWG10710
Stockpost Black Bitumen 180cm 9 hole	FWG10706
Stockpost Black Bitumen 180cm 14 hole	FWG10711
Stockpost Black Bitumen 240cm 17 hole	FWG10709
Stockpost Galvanised 150cm 8 hole	FWG10767
Stockpost Galvanised 165cm 8 hole	FWG10765
Fieldpost Black Bitumen 165cm 14 hole	FWG10785
Fieldpost Black Bitumen 180cm 14 hole	FWG10786

*Sold in multiples of 10

STEEL POST Y CLIPS

Features:

- Attaches and retains netting or fence wire to steel "Y" Posts
- Galvanised steel clip
- Supplied in 5kg packs

Product	Part No.
3.15mm Steel post Y Clips (Approx QTY 908 Clips)	FCL00010
4.00mm Steel post Y Clips (Approx QTY 607 Clips)	FCL00020







For helpful fencing tips, application guides, detailed product information, instructional videos and more, visit **www.strainrite.co.nz**



FOR ALL YOUR FENCING REQUIREMENTS